

Bidston Observatory mean monthly wind speeds (knots) - boxed value indicates highest value for year

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Mean
1929	9.2	12.8	8.9	12.2	10.5	11.3	8.7	11	9.4	13.7	12.7	17	11.4
1930	13.3	7.7	10.1	10.4	8.9	7.6	11.2	11.6	10.3	13.9	12	11.1	10.7
1931	13.5	13.2	11.9	12.2	8	9.8	10	10.9	8.1	8.9	11.1	13.9	11
1932	12.1	7.7	9.9	13.9	7.9	7.8	8.9	7	9.9	12.2	10.3	11.3	9.9
1933	9.6	13.3	10.4	8.2	7.7	8.2	8.2	8.3	7	11.8	9.1	8.4	9.2
1934	13.2	10.3	10.3	9.6	10.9	8.2	9.7	10.5	10.7	14.3	7.2	11.5	10.6
1935	12.9	15.5	11.3	12.3	10.1	7.5	9.7	6.8	12.2	13.9	11.1	10.7	11.2
1936	11.5	12.9	10.5	11	9.1	8.6	11.3	9.4	9.5	14.5	12	15.9	11.3
1937	15.8	16	10.6	11	8.1	9.1	8.9	6.6	9	8.2	9	8.8	10.1
1938	14.2	13.8	10.8	8.2	8.7	11.9	9.2	8.2	7.6	13.5	12.9	14.2	11.1
1939	14.6	15.3	14.7	12.5	7.9	9.6	9.5	6.7	7.9	10.2	12.6	10.9	11
1940	12.3	8.5	7.8	8.3	7.4	6.9	9.5	12.6	11.8	9.3	12.3	12.9	10
1941	10.9	12.9	10.8	11	8.3	7.1	7.4	11.4	7	10.5	9.6	10.8	9.8
1942	12.6	10.1	10.6	15	11.5	8	10.6	8.1	9.4	10.5	5.9	11.9	10.3
1943	11.5	13.6	9	12.4	8.8	10.3	9.5	10.9	9.5	9.7	12.7	9.6	10.6
1944	13.6	10.9	8.8	9.4	7.3	9.9	6.6	5.6	9.9	9.1	10.5	11.2	9.4
1945	10.8	12.7	8.4	7.8	5.7	8.1	6	3.8	5.3	5	3.2	10.6	7.3
1946	11.6	15.5	8.9	8.9	8.9	9.3	8.8	7.7	11	8.7	11.4	11.5	10.2
1947	13.4	11.6	10.7	14	7.9	6.9	6.5	5.6	9.4	7	12.9	11.9	9.8
1948	14.3	12.9	10.9	9.5	7.2	9.4	10.3	9.6	10.5	10.2	10.1	10.7	10.5
1949	12.6	11.9	9.5	10.3	7.6	6.9	7.8	7.6	6.8	8.3	11.4	13.3	9.5
1950	9.3	12.2	9.2	12.9	8.2	8.5	8.6	8.3	12.6	9.5	10.6	10.1	10
1951	10.5	8.9	7.9	10.7	8.9	7.2	7.2	7.2	8.8	7.6	11.8	12.7	9.1
1952	12.2	7	6.9	5.1	4.5	5.5	5.9	5.4	12.6	13.3	11.5	11.4	8.5
1953	8.9	10.1	8.4	10.6	10.5	8.7	12.9	11.2	12	9.3	11.3	10.9	10.4
1954	13.9	8.6	11.5	9.8	10.1	9.6	12	8.7	14	12.3	12.1	17.5	11.7
1955	10.9	10	8.4	7.8	11.1	9	6.3	6.5	10.6	11.1	9.1	14.9	9.7
1956	12.5	7.1	11.8	8.7	9.9	11.9	10	9	10.4	11.5	12.4	12.7	10.7
1957	9.7	9.4	11.2	7.6	8.8	6.3	8.9	12.5	12	9.4	8.9	11.2	9.7
1958	11.5	11.6	9.6	8.7	8.3	5.3	6.7	6.6	7.9	8.9	5.9	7.8	8.2
1959	7.9	8.2	7	8.1	6.7	8.3	5.3	5.8	3.6	9.6	9.2	12.2	7.7
1960	10.4	10.2	12.5	10	8.2	9.1	10.5	7.7	9.3	9.4	12.4	10.4	10

Bidston Observatory mean monthly wind speeds (knots) - boxed value indicates highest value for year

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Mean
1961	13.6	13.3	12.5	9.5	8.9	8.7	10.6	11.3	8.2	12.8	9.1	10	10.7
1962	12.8	14.5	8.3	10.2	10.2	9.6	8.2	11.3	9.6	9.4	10	14.9	10.8
1963	9.1	10.5	12	9.2	12.2	9.6	7.9	11	10.5	11.5	12.9	11.6	10.7
1964	10.2	11.7	10.7	10	11.3	10.5	10.2	8.2	11.2	8.8	12.2	11.5	10.6
1965	12.9	8.9	11.7	11.5	8.9	9	9.8	10.9	9.6	10.9	13.9	12.6	10.9
1966	12.9	14.2	15.5	12.7	10.2	8.6	9.3	8.2	9.6	8.4	13.5	15.2	11.5
1967	10.2	13.5	17	11.7	8.8	7.4	6.3	7.3	8.3	11.6	9.5	10.5	10.2
1968	14.2	8.8	13.6	8.5	7.7	6.7	6.3	7.9	11.1	9.9	11.4	11	9.8
1969	10.8	10.2	9.5	9.8	9	8.5	9.9	9.7	8.9	10.4	11.5	10.2	9.9
1970	10.7	13.2	10.9	10.9	8.4	6.7	10.7	8.3	11.4	12.5	12.9	9.6	10.5
1971	9.3	9.6	8.5	7.6	6.3	7.7	5.1	7.6	6.8	10.4	11.8	10.4	8.4
1972	10.9	10.1	10.2	11.3	9.7	8.4	5.5	7.5	6.7	9.1	11.9	11.2	9.4
1973	10.3	12.4	8.5	11	9.7	6.9	7.6	9.6	9.9	9.8	13.3	14.2	10.3
1974	14.4	11.2	10	7.6	9.5	8.7	11.3	8.8	10.6	11.3	11.5	15.7	10.9
1975	13.5	9.1	9.4	8.6	6.9	7.2	7	5.5	8.1	8	8.7	8.8	8.4
1976	15.7	9.2	10.7	7.9	7.5	6	7.9	6.5	9	8.7	8.2	8	8.8
1977	9.8	9.8	10.9	13.2	9.3	8.1	9.5	7.5	10.7	11.2	14.6	12.8	10.6
1978	12.3	10.6	12.2	8.2	6.1	9.4	9	8.1	13.3	9.4	10.6	10.6	10
1979	9.3	10	13.4	8.9	6.9	6.7	7.6	7.2	9.1	7.6	11.3	11.1	9.1
1980	7.8	6.9	8.8	8.1	7.6	7.5	7.1	7.5	8.6	10.6	11.2	13	8.7
1981	12.6	10.6	8.6	5.1	6.8	9.7	8.5	5.5	7.5	9.9	11.8	8.4	8.7
1982	11.5	9	10.7	7.5	7.2	5.5	4.9	8.5	6.8	7.6	12.1	11	8.5
1983	17.4	12.1	11.4	7.2	7.4	7.1	3.6	4.6	9.6	10.5	6.3	10.5	9
1984	14.3	10.1	6.4	5.7	5.7	6.9	5.9	4.4	9.2	9.8	8.4	9.5	8
1985	8.4	9.7	8.7	10.1	6.8	7.6	6.9	10.6	8.6	5.5	8.5	9.1	8.4
1986	14.4	10	11.4	6.5	8.9	7.9	7.1	7.7	5.1	8.7	9.7	13.5	9.2
1987	7.5	6.7	11.4	7.6	8.4	6.3	7.9	7.4	7.4	7.1	10	9.4	8.1
1988	10.7	13.6	11.2	5.6	5.6	4.4	8.5	8.3	9.3	7.9	6.2	11.4	8.6
1989	8.9	11.9	9.9	6.9	5.5	5.6	5.7	7.9	5.9	9.1	6.2	5.9	7.4
1990	10.8	13.7	11.1	9	4.7	6.3	7.4	6.1	5.8	9.7	6.9	8.9	8.4
1991	7.8	5.4	6.3	9.7	6.8	8.1	6.6	5.2	5.9	7.2	8.9	8.3	7.2
1992	5.9	7.4	9.7	11.5	11	7.6	9	10.2	10.4	9.3	13.5	10.4	9.7

Bidston Observatory mean monthly wind speeds (knots) - boxed value indicates highest value for year

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Mean
1993	15.5	10.9	11.4	9.8	10.3	8.2	12.1	8.6	9.2	7	9.5	15.1	10.6
1994	14.4	12	16	12.2	9.5	11.3	6.9	8	10.1	10.5	10.5	12.6	11.2
1995	14.1	13.2	13.9	10.6	9.5	10	9	7.8	9.6	10.4	9.5	8.8	10.5
1996	12.2	11.2	9.6	8.4	9.3	8.8	8.6	7.6	7.8	11.5	12	9.9	9.7
1997	7.7	15.2	12.3	9.8	8.4	9.7	8.8	7.6	10.5	9.6	9.5	11.3	10
1998	11	12.4	11.4	9.5	9.1	9.9	11.9	10.7	10.1	14.2	11.2	10.8	11
1999	11.8	14.7	10.8	10.7	9.4	9.5	9	8.5	8.3	11.1	10.3	14.2	10.7
2000	10.4	14.4	11	7.4	8.4	8.3	7.4	6.6	7.3	10.7	11.5	10.5	9.5
2001	8.2	5.1	5.1	5.9	4.4	4.9	4.1	3.3	5.4	8.6	8.9	9.4	5.4
2002	11.1	15.4	10.7	9.2	9.5	8.6	6.8						